

Inspection Report

University Of Washington	Customer ID:	1016	
Box 357160	Certificate:	91-R-0001	
Seattle, WA 98195	Site:	001	
	UNIVER	UNIVERSITY OF WASHINGTON	
	21	FOCUSED INSPECTION 15-NOV-2018	

2.38(f)(1) CRITICAL

MISCELLANEOUS.

A pigtail macaque pulled a chain holding an enrichment device into the cage, entangled its jaw, and asphyxiated. These types of enrichment devices were being modified to fit better, and the one involved had not been properly installed.

The facility self-reported the incident to APHIS officials. The corrective actions consisted of promptly removing all of the foraging/enrichment devices from all cages and returning to the use of puzzle balls. To prevent a similar incident in the future, all enrichment devices will be evaluated by a committee before being used with animals.

Correct from this time forward.

This inspection and exit briefing were conducted with the facility representatives.

Additional Inspectors Schnell Michael, Veterinary Medical Officer





000000

000000

NONE

Total

United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 1016 Inspection Date: 15-NOV-18

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1016	91-R-0001	001	UNIVERSITY OF WASHINGTON	15-NOV-18
No Animals were Inspected.				
Count	Scientific Name		Common Name	

NONE